# Modelo Lines Panels BY AKUSTUS DESIGNS AKUSTUS.COM INFO@AKUSTUS.COM





Modelo Lines features a myriad of patterns cut as grooves onto the surface of a panel.
Ranging from the intricate linework of Glint to the organic furrows of Bark, this series of panels showcases how thin lines can add texture and ambience while reducing noise and distraction. Mount it to the wall or hang it from the ceiling and discover how different your space can feel.

MODELO LINES PANELS


# **Dimensions**


#### 1200 x 2400

Available Thicknesses:

- 12, 18, 24 mm (0.47, 0.71, 0.94 in)

xxx-WP-120-240







## 1220 x 2745

Available Thicknesses:

- 12, 24 mm (0.47, 0.94 in)

xxx-WP-122-274





# **Product Data**


Product Code	Width x Height	Thickness	Weight
xxx-xx-120-240	1200 x 2400 mm 47.24 x 94.49 in	12, 18, 24 mm 0.47, 0.71, 0.94 in	7.2, 11.52, 14.4 kg 15.87, 25.4, 31.75 lb
xxx-xx-122-274	1220 x 2745 mm 48.03 x 108.07 in	<b>12, 24 mm</b> 0.47, 0.94 in	8.37, 16.74 kg 18.45, 36.91 lb


# **Designs**

\* Custom pattern, shape and size available. Patterns may be reflected. By default, designs are on one side only for screens and for wall panels. Designs are available on both sides as an option for screens.


#### Bark

BAK-xx-120-240







Deck





#### Glint

GLT-xx-120-240










## Origami


ORI-xx-120-240




ORI-xx-122-274

# Ravine (A)

RAV-xx-A-120-240



RAV-xx-A-122-274




MODELO LINES PANELS

# **Designs**

Ravine (B)

RAV-xx-B-120-240




RAV-xx-B-122-274




Reeds

RED-xx-120-240




RED-xx-122-274




Roto

RTO-xx-120-240




RTO-xx-122-274




Savannah (A)

SVN-xx-A-120-240




SVN-xx-A-122-274




Savannah (B)


SVN-xx-B-120-240




SVN-xx-B-122-274



Savannah (C)





SVN-xx-C-120-240




Savannah (D)

SVN-xx-D-120-240





SVN-xx-D-122-274




Stickwork

STK-xx-120-240




STK-xx-122-274




# Topo

TPO-xx-120-240




MODELO LINES PANELS




Waves

WAV-xx-120-240



WAV-xx-122-274



Zigzag

ZIG-xx-120-240



ZIG-xx-122-274





MODELO LINES PANELS

# Configurations


\* Examples of how the panels can be arranged ("R" indicates a reflected design)


## Ravine







## Savannah





## Stickwork





# **Specifications**

**Product Name** Modelo Lines Panels

**Composition** 100% polyester fibre

**Edge Detail** Square edge

• ASTM E84 Class A

CAN/ULC-S102.2-10

**VOC Emissions** CDPH (CA 01350)

**Antimicrobial Testing** Mould & mildew resistant

**Sustainability** • 100% recyclable

LBC Red List free

Contributes to LEED certification

• Free of toxic substances and of

off-gassing

• Made with ~60% recycled content

from plastic water bottles

How to Specify

• Product Name & Code

Dimensions

Colour

• Installation Method


Colour & Texture Variations

The felting and dyeing process that forms the material contributes to its unique texture but also to variations in texture and colour from panel to panel. Products will be provided within an acceptable range of variation.



# **Acoustic Properties**

The following values reflect the acoustic properties of the product as tested in accordance with ASTM C423-09a using Type A and D-50 mounting.



	NRC	SAA	200	250	315	400	500	630	800	1000	1250	1600	2000	2500
A 12 mm	0.40	0.39	0.04	0.09	0.13	0.15	0.28	0.38	0.48	0.54	0.58	0.66	0.73	0.65
A 24 mm	0.70	0.67	0.14	0.24	0.29	0.41	0.69	0.80	0.87	0.94	0.96	0.94	0.88	0.86
D-50 12 mm	0.80	0.80	0.43	0.48	0.59	0.71	0.85	0.92	0.93	0.96	0.94	0.94	0.93	0.93
D-50 18 mm	0.80	0.78	0.28	0.34	0.48	0.64	0.79	0.96	1.03	1.05	0.99	0.98	0.94	0.92

MODELO LINES PANELS


MODELO LINES PANELS

# **Wall Panel Installation**

Specify one of the following options at the time of ordering.

## **Construction Adhesive**





• By others


#### Recommendation


 Liquid Nails Heavy Duty (Low VOC) LN-903

#### Alternatives


- LePage PL Premium
- LePage PL Premium Max
- LePage No More Nails Heavy Duty
- LePage No More Nails Ultimate Crystal Clear
- (At your discretion, other construction adhesive may be used but should be tested for effectiveness)

## Z-clips (KT-ZCLP-00)







- 6 mm (¼ in) projection from the wall
- 25 mm (1 in) clearance required above the panel




# Push Mounts (KT-PUSH-00)






 Panels come with mounts preinstalled but receiving mount must be installed on-site



# Concealed Mechanical Fasteners (KT-CCAP-00)






## Concealer Caps

Provided in matching colour & material as panel

#### Mechanical Fasteners


- By others
- Optional: construction adhesive can be applied for more robust & permanent installation



# **Screen Installation - Aluminum Trim Kit (KT-TRIM-00)**

Specify optional ceiling and accessory hardware at the time of ordering.

## **Ceiling Hardware Options**



#### **Product Hardware**



Aluminum Trim with
Adjustable Cable Gripper

- Clear anodized finish (matte black available)
- Suspension point premounted but can be repositioned on site

#### **Accessory Hardware Option**



Floor Mounted Cable Gripper (HW-FGRP-00)

# **Screen Installation - Sliding Track Kit (KT-SLID-00)**

Specify optional accessory hardware at the time of ordering.

### Single Row







#### **Multiple Rows**

Track Layout



• May be layered in as many rows as desired





#### **Product Hardware**



## Sliding Track

- Mill finish
- Must be mounted to flat, stable & sturdy surface (install blocking if needed)
- Adds 54-60 mm to the panel height

## **Accessory Hardware Option**



# Track Fascia (HW-FASC-00)

- Clear anodized finish
- Hides the internals of the track system
- Clips into place

MODELO LINES PANELS

\* 12/24 mm only

Black

SP 13

Graphite

SP 03

Yam

# **Product Care**

## Handling & Storage

Handle products with care so as to avoid folding the polyester felt, chipping its edges or indenting its faces. Store products in their original containers in a well-ventilated area until the intended application environment is ready for installation. Allow products to acclimatize to environmental conditions. Lay them flat on their faces; do not stand them on their edges. Protect from moisture, heat, direct sunlight and the elements.

#### Maintenance

Lightly brush or gently vacuum to remove dust from polyester felt. Clean with warm water and mild, non-toxic soap to remove spills. Test solution on an inconspicuous spot before applying to more visible areas. Blot with a dry cloth after applying the solution to avoid saturating the material. Avoid applying too much pressure when cleaning the products.

#### Warranty

AKUSTUS warrants the construction and finish of all our products to be free from defects in material and workmanship for a period of 1 year from the date of purchase.

# **Colours**

SP 07

Ivory

SP 77

Castlerock \*

SP 80

Mustard \*

SP 87

Ocean Green \*

SP 86



**Urban Grey** SP 79



Beige SP 04



Blush Pink SP 81



Sunflower SP 05



Forest Green **SP 17** 



Aquamarine SP 73



Desert Sage

SP 78

SP 71



Cool Grey SP 36

**Pumice** 

SP 11



Taupe Grey \* Sandstone SP 12 SP 90



Plum SP 72 SP 08



Chartreuse Moss \* SP 43 SP 89



Deep Sea Blue \* SP 83



Azure \* SP 85



Mid Grey SP 37



SP 76





SP 46

Peacock \*

SP 82

Krypton

SP 30

Sky Blue

SP 25

SP 28



Olive \* SP 88



Pale Teal SP 74



Navy SP 01



Lagoon \*

SP 84

Midnight Blue SP 19



Purple SP 50

