
AKUSTUS DESIGNS INFO@AKUSTUS.COM AKUSTUS.COM AKUSTUS.COM

Haven Desk Dividers







The Haven Desk Divider transforms
a space for collaboration into a zone
of concentration and back again, just
like that. Slide the panels together
when you need to focus; pull the
panels apart and store them flat when
you need the open space. No tools
required. Whether you need it for an
open office or for the dinner table, this
divider gives you the haven you seek.

02 HAVEN DESK DIVIDERS AKUSTUS.COM

How to Specify

Step by step instructions on how to specify <u>Haven</u> <u>Desk Dividers</u>.





01

Choose panel size.

(pg 03)

02

Choose colour.

(pg 04)

Dimensions

Standard Dimensions (mm)

610 W x 864 L x 457 H

610 W x 1017 L x 457 H

610 W x 1322 L x 457 H

610 W x 1474 L x 457 H

610 W x 1626 L x 457 H

610 W x 1779 L x 457 H


Edge Detail





Square Edge


Customization


Width, Length, and Height can be customized to fit your space.














Standard Colours

Choose from any one of our standard colours.

Don't see something you love? Ask us about creating your own custom colour.

* Available in 12 / 24 mm only. All other colours available in 9, 12, 18, and 24 mm.

Pure White Urban Grey Pumice SP 07 SP 79 SP 11 **Almond** Beige Ivory SP 77 SP 91 SP 04 **Sunflower** Mustard* Orange SP 05 SP 87 SP 46 Pistachio* Olive* Chartreuse SP 95 SP 43 SP 88 Aquamarine Pale Teal Lagoon* SP 07 SP 07 SP 07 Deep Sea Blue* **Krypton** Midnight Blue

SP 07

SP 07

SP 07



05

Product Specifications

Haven Desk Dividers

Composition

100% polyester fibre

Health & Safety

- Fire-rated
- ASTM E84 Class A
- CAN/ULC-S102.2-10 compliant
- Low VOCs
- CDPH v1.2 compliant
- Mould & mildew resistant
- ASTM C1338 compliant

Colour & Texture Variations

The felting and dyeing process that forms the material contributes to its unique texture but also to variations in texture and colour from panel to panel. Products will be provided within an acceptable range of variation.

Sustainability

- 100% recyclable
- Made with 60% post consumer recycled content
- Declare Red List free
- Contributes to LEED certification
- Environmental Product Declaration









HAVEN DESK DIVIDERS AKUSTUS.COM

Sound Absorption Graph

The following values reflect the acoustic properties of the product as tested in accordance with ASTM C423-09a.



Frequency [Hz]

200	250	315	400	500	630	800	1000	1250	1600	2000	2500	NRC	SAA
0.43	0.48	0.59	0.71	0.85	0.92	0.93	0.96	0.94	0.94	0.93	0.93	0.80	0.80



Product Care

Handling & Storage

Handle products with care so as to avoid folding the polyester felt, chipping its edges, or indenting its faces. Store products in their original containers in a well-ventilated area until the intended application environment is ready for installation. Allow products to acclimatize to environmental conditions. Lay them flat on their faces; do not stand them on their edges. Protect from moisture, heat, direct sunlight, and the elements.

Warranty

AKUSTUS warrants the construction and finish of all our products to be free from defects in material and workmanship for a period of 1 year from the date of purchase.

Maintenance

Lightly brush or gently vacuum to remove dust from polyester felt.
Clean with warm water and mild, non-toxic soap to remove spills. Test solution on an inconspicuous spot before applying to more visible areas. Blot with a dry cloth after applying the solution to avoid saturating the material. Avoid applying too much pressure when cleaning the products.

