Crystal Cloud

BY AKUSTUS DESIGNS

1

AKUSTUS

AKUSTUS.COM INFO@AKUSTUS.COM



1

The **Crystal Cloud** plays on the various shapes that the eye can see from crystals gathered in clusters. Beyond providing visual interest, the "facets" of the cloud redirect sound waves to create better sound diffusion within the room. This is what makes Crystal Cloud a multifaceted solution that can transform the sound and the look of a space.





CRYSTAL CLOUD

Dimensions

* Custom shape and size available.


Crystal Hexagon









Crystal Wing




792 mm (31.2 in)

Crystal Star







Product Data

Product Code

CRY-CL-H-091-079 Crystal Hexagon

CRY-CL-S-137-158 Crystal Star


CRY-CL-W-079-068 Crystal Wing

Width x Length

914 x 792 mm 36 x 31.2 in

1371 x 1583 mm 54 x 62.3 in

792 x 686 mm 31.2 x 27 in





Height	Weight
145 mm	1.7 kg
5.7 in	3.7 lb
145 mm	3.4 kg
5.7 in	7.5 lb
145 mm	1.1 kg
5.7 in	2.4 lb


6

Specifications

Product Name	Crystal Cloud	
Composition	100% polyester fibre	
Edge Detail	Square edge	
Fire Rating	ASTM E84 Class ACAN/ULC-S102.2-10	
VOC Emissions	CDPH (CA 01350)	
Antimicrobial Testing	Mould & mildew resistant	
Sustainability	 100% recyclable LBC Red List free Contributes to LEED certification Free of toxic substances and of off-gassing Made with ~60% recycled content from plastic water bottles 	
How to Specify	 Product Name & Code Dimensions Colour Installation Method 	Deceleacted
Colour & Texture Variations	The felting and dyeing process that forms the material contributes to its unique texture but also to variations in texture and colour from panel to panel. Products will be provided within an acceptable range of variation.	

Acoustic Properties

The following values reflect the acoustic properties of the product as tested in accordance with ASTM C423-09a using Type D-50 mounting.




	NRC	SAA	200	250	315	400	500	630	800	1000	1250	1600	2000	2500
D-50 12 mm	0.80	0.80	0.43	0.48	0.59	0.71	0.85	0.92	0.93	0.96	0.94	0.94	0.93	0.93

Frequency [Hz]

Installation - Crystal Cloud Kit (KT-CRCL-00)

Specify optional ceiling hardware at the time of ordering.

Ceiling Hardware Options



Product Hardware



Aluminum Bracket with Adjustable Cable Gripper

Product Care

Handling & Storage


Handle products with care so as to avoid folding the polyester felt, chipping its edges or indenting its faces. Store products in their original containers in a well-ventilated area until the intended application environment is ready for installation. Allow products to acclimatize to environmental conditions. Lay them flat on their faces; do not stand them on their edges. Protect from moisture, heat, direct sunlight and the elements.

Maintenance

Lightly brush or gently vacuum to remove dust from polyester felt. Clean with warm water and mild, non-toxic soap to remove spills. Test solution on an inconspicuous spot before applying to more visible areas. Blot with a dry cloth after applying the solution to avoid saturating the material. Avoid applying too much pressure when cleaning the products.

Warranty

AKUSTUS warrants the construction and finish of all our products to be free from defects in material and workmanship for a period of 1 year from the date of purchase.



Colours



SP 19

