


Metro Wall Panel






Methodical curves and parallel lines come together in the Metro Wall Panel. Like a complex train system, Metro's intricate network whisks you away to see the sights while cutting out the noise.

How to Specify


Step by step instructions on how to specify Metro Wall Panels.



01

Choose a thickness.

(pg 03)



02


Option A

Choose a panel design and create your own configuration.

Option B

Choose one of our configurations.


(pg 04-05)



03

Choose a standard colour or Impressio Colourways.

(pg 06-10)



04

Choose an installation method. (pg 11)

Dimensions

Standard Dimensions (mm)

600 W x 600 H

Standard Thicknesses (mm)


12, 18, and 24

Edge Detail


Bevel edge

Customization

Panel Width and Height can be adjusted to fit your space.




Bevel Edge




Panel Designs


The building blocks of the Metro Wall Panel.




Panel 01




Panel 02




Panel 03




Panel 04




Panel 05




Panel 06




Panel 07




Panel 08




Panel 09



Panel 10




Panel 11




Panel 12

Configurations


Mix and match panel designs to make the wall your own, or choose from what we've come up with here.




Config A




Config B




Config C



Config D



Config E



Config F

Customization

Metro is designed for customization. Ask us about changing the panel design, configuration or colour to fit your space.


Impressio Colourways

Impressio Colourways are unique colours curated for Metro. Each set complements the design and allows the twists and turns of the panels to shine through.


Vancouver




VA 01



VA 02



VA 03




VA 04


New York




NY 01



NY 02



NY 03




NY 04


Madrid




MA 01



MA 02



MA 03



MA 04


Sao Paulo




SA 01



SA 02




SA 03




SA 04

Colourways can be specified in either one colour, two colours or multi colour.


Seoul




SE 01



SE 02



SE 03



SE 04


Dubai




DU 01



DU 02




DU 03




DU 04


Impressio Colourways One Colour




Config A in Sao Paulo Colorways.




Config A in Madrid Colorways.




Config B in New York Colorways.




Config C in Dubai Colorways.




Config D in Seoul Colorways.



Config E in New York Colorways.




Config E in Vancouver Colorways.




Config F in Sao Paulo Colorways.


Impressio Colourways Two Colours




Config A in Madrid Colorways.




Config A in Dubai Colorways.




Config B in Vancouver Colorways.




Config B in Vancouver Colorways.




Config C in New York Colorways.



Config E in Vancouver Colorways.




Config E in Sao Paulo Colorways.




Config F in Seoul Colorways.


Impressio Colourways Multi Colour




Config C in Seoul Colorways.




Config C in Dubai Colorways.




Config E in Vancouver Colorways.




Config E in New York Colorways.




Config D in Madrid Colorways.



Config D in Vancouver Colorways.



Config F in Dubai Colorways.



Config F in Sao Paulo Colorways.

Standard Colours


Choose from any one of our standard colours.



Pure White
SP 07



Urban Grey
SP 79




Pumice
SP 11




Warm Grey
SP 76



Cool Grey
SP 36



Mid Grey
SP 37



Graphite
SP 03



Black
SP 13




Ivory
SP 77



Beige
SP 04



Sandstone
SP 12



Castlerock**
SP 80



Blush Pink*
SP 81




Wild Currant
SP 48




Plum
SP 72




Red
SP 08



Orange
SP 46



Yam
SP 28




Sunflower
SP 05




Chartreuse
SP 43



Desert Sage
SP 78



Green*
SP 10



Peacock**
SP 82




Forest Green
SP 17




Krypton
SP 30




Pale Teal
SP 74



Aquamarine
SP 73



Dark Turquoise
SP 71



Sky Blue
SP 25



Navy
SP 01



Midnight Blue
SP 19



Purple
SP 50

Don't see something you love? Ask us about creating your own custom colour.


All colours available in 9,12,18, and 24 mm unless noted otherwise.

* Only available in 9mm and 18mm


** Only available in 12mm and 24mm

Installation and Hardware


This is an overview of the available installation methods. Check out our installation guide for more details.




Costruction Adhesive



Z-Clips



Push Mount Clips



Concealed Mechanical Fasteners

Product Specifications

Metro Wall Panels

Composition

100% polyester fibre

VOC Emissions

CDPH (CA 01350)

Antimicrobial Testing

Mould & mildew resistant

Fire Rating

- ASTM E84 Class A
- CAN/ULC-S102.2-10



Sustainability

- 100% recyclable
- LBC Red List free
- Contributes to LEED certification
- Free of toxic substances and of off-gassing
- Made with ~60% recycled content from plastic water bottles


Colour & Texture Variations

The felting and dyeing process that forms the material contributes to its unique texture but also to variations in texture and colour from panel to panel. Products will be provided within an acceptable range of variation.



Sound Absorption Graph

The following values reflect the acoustic properties of the product as tested in accordance with ASTM C423-09a using Type A mounting.



	NRC	SAA	200	250	315	400	500	630	800	1000	1250	1600	2000	2500
A 12 mm	0.40	0.39	0.04	0.09	0.13	0.15	0.28	0.38	0.48	0.54	0.58	0.66	0.73	0.65
A 18 mm	0.60	0.58	0.10	0.12	0.18	0.30	0.44	0.63	0.72	0.81	0.87	0.91	0.94	0.97
A 24 mm	0.70	0.67	0.14	0.24	0.29	0.41	0.69	0.80	0.87	0.94	0.96	0.94	0.88	0.86

Product Care

Handling & Storage

Handle products with care so as to avoid folding the polyester felt, chipping its edges or indenting its faces. Store products in their original containers in a well-ventilated area until the intended application environment is ready for installation. Allow products to acclimatize to environmental conditions. Lay them flat on their faces; do not stand them on their edges. Protect from moisture, heat, direct sunlight and the elements.

Warranty

AKUSTUS warrants the construction and finish of all our products to be free from defects in material and workmanship for a period of 1 year from the date of purchase.

Maintenance

Lightly brush or gently vacuum to remove dust from polyester felt. Clean with warm water and mild, non-toxic soap to remove spills. Test solution on an inconspicuous spot before applying to more visible areas. Blot with a dry cloth after applying the solution to avoid saturating the material. Avoid applying too much pressure when cleaning the products.

