

# Haven Desk Divider

BY AKUSTUS DESIGNS



**AKUSTUS** 

AKUSTUS.COM

INFO@AKUSTUS.COM




The Haven Desk Divider transforms a space for collaboration into a zone of concentration and back again, just like that. Slide the panels together when you need to focus; pull the panels apart and store them flat when you need the open space. No tools required. Whether you need it for an open office or for the dinner table, this divider gives you the haven you seek.





## **Dimensions**


Available Thickness: 12 mm (0.5 in)


\* Custom shape and size available.














# **Product Data**

Product Code	Width x Length	Height	Weight
HVN-DD-061-086	610 x 864 mm	<b>457 mm</b>	2.6 kg
	24 x 34 in	18 in	5.7 lb
HVN-DD-061-101	610 x 1017 mm	<b>457 mm</b>	2.8 kg
	24 x 40 in	18 in	6.2 lb
HVN-DD-061-132	610 x 1322 mm	<b>457 mm</b>	3.2 kg
	24 x 52 in	18 in	7.1 lb
HVN-DD-061-147	610 x 1474 mm	<b>457 mm</b>	3.3 kg
	24 x 58 in	18 in	7.3 lb
HVN-DD-061-162	610 x 1626 mm	<b>457 mm</b>	3.5 kg
	24 x 64 in	18 in	7.7 lb
HVN-DD-061-177	610 x 1779 mm	<b>457 mm</b>	3.7 kg
	24 x 70 in	18 in	8.2 lb



HAVEN DESK DIVIDER

## **Specifications**

Product Name Haven Desk Divider

**Composition** 100% polyester fibre

**Edge Detail** Square edge

• ASTM E84 Class A

• CAN/ULC-S102.2-10

**VOC Emissions** CDPH (CA 01350)

**Antimicrobial Testing** Mould & mildew resistant

**Sustainability** • 100% recyclable

LBC Red List free

Contributes to LEED certification

• Free of toxic substances and of

off-gassing

• Made with ~60% recycled content

from plastic water bottles

How to Specify

• Product Name & Code

Dimensions

Colour

• Installation Method


Colour & Texture Variations

The felting and dyeing process that forms the material contributes to its unique texture but also to variations in texture and colour from panel to panel. Products will be provided within an acceptable range of variation.



## **Acoustic Properties**

The following values reflect the acoustic properties of the product as tested in accordance with ASTM C423-09a using Type D-50 mounting.



	NRC	SAA	200	250	315	400	500	630	800	1000	1250	1600	2000	2500
D-50 12 mm	0.80	0.80	0.43	0.48	0.59	0.71	0.85	0.92	0.93	0.96	0.94	0.94	0.93	0.93

HAVEN DESK DIVIDER

### **Product Care**

#### Handling & Storage

Handle products with care so as to avoid folding the polyester felt, chipping its edges or indenting its faces. Store products in their original containers in a well-ventilated area until the intended application environment is ready for installation. Allow products to acclimatize to environmental conditions. Lay them flat on their faces; do not stand them on their edges. Protect from moisture, heat, direct sunlight and the elements.

#### Maintenance

Lightly brush or gently vacuum to remove dust from polyester felt. Clean with warm water and mild, non-toxic soap to remove spills. Test solution on an inconspicuous spot before applying to more visible areas. Blot with a dry cloth after applying the solution to avoid saturating the material. Avoid applying too much pressure when cleaning the products.

#### Warranty

AKUSTUS warrants the construction and finish of all our products to be free from defects in material and workmanship for a period of 1 year from the date of purchase.

### **Colours**

