
Crystal Cloud BY AKUSTUS DESIGNS AKUSTUS INFO@AKUSTUS.COM



The **Crystal Cloud** plays on the various shapes that the eye can see from crystals gathered in clusters.

Beyond providing visual interest, the "facets" of the cloud redirect sound waves to create better sound diffusion within the room. This is what makes Crystal Cloud a multifaceted solution that can transform the sound and the look of a space.

CRYSTAL CLOUD CRYSTAL CLOUD




6

Dimensions

* Custom shape and size available.


Crystal Hexagon


792 mm (31.2 in) 914 mm (36 in)






Crystal Wing









Crystal Star







Product Data

Product Code	Width x Length	Height	Weight
CRY-CL-H-091-079	914 x 792 mm	145 mm 5.7 in	1.7 kg
Crystal Hexagon	36 x 31.2 in		3.7 lb
CRY-CL-S-137-158	1371 x 1583 mm	145 mm 5.7 in	3.4 kg
Crystal Star	54 x 62.3 in		7.5 lb
CRY-CL-W-079-068	792 x 686 mm 31.2 x 27 in	145 mm	1.1 kg
Crystal Wing		5.7 in	2.4 lb

CRYSTAL CLOUD

Specifications

Product Name Crystal Cloud

Composition 100% polyester fibre

Edge Detail Square edge

• ASTM E84 Class A

• CAN/ULC-S102.2-10

VOC Emissions CDPH (CA 01350)

Antimicrobial Testing Mould & mildew resistant

Sustainability • 100% recyclable

• LBC Red List free

Contributes to LEED certification

• Free of toxic substances and of

off-gassing

• Made with ~60% recycled content

from plastic water bottles

How to Specify

• Product Name & Code

Dimensions

Colour

• Installation Method


Colour & Texture Variations

The felting and dyeing process that forms the material contributes to its unique texture but also to variations in texture and colour from panel to panel. Products will be provided within an acceptable range of variation.



Acoustic Properties

The following values reflect the acoustic properties of the product as tested in accordance with ASTM C423-09a using Type D-50 mounting.




	NRC	SAA	200	250	315	400	500	630	800	1000	1250	1600	2000	2500
D-50 12 mm	0.80	0.80	0.43	0.48	0.59	0.71	0.85	0.92	0.93	0.96	0.94	0.94	0.93	0.93

CRYSTAL CLOUD

Installation - Crystal Cloud Kit (KT-CRCL-00)

Specify optional ceiling hardware at the time of ordering.

Ceiling Hardware Options



Product Hardware



Aluminum Bracket with Adjustable Cable Gripper

Product Care

Handling & Storage

Handle products with care so as to avoid folding the polyester felt, chipping its edges or indenting its faces. Store products in their original containers in a well-ventilated area until the intended application environment is ready for installation. Allow products to acclimatize to environmental conditions. Lay them flat on their faces; do not stand them on their edges. Protect from moisture, heat, direct sunlight and the elements.


Maintenance

Lightly brush or gently vacuum to remove dust from polyester felt. Clean with warm water and mild, non-toxic soap to remove spills. Test solution on an inconspicuous spot before applying to more visible areas. Blot with a dry cloth after applying the solution to avoid saturating the material. Avoid applying too much pressure when cleaning the products.

Warranty

AKUSTUS warrants the construction and finish of all our products to be free from defects in material and workmanship for a period of 1 year from the date of purchase.

CRYSTAL CLOUD



Colours

